FORM PTO-1449	U.S. DEPARTMENT OF COMMERCE PATENT AND TRADEMARK OFFICE	ATTY. DOCKET NO. VPI/SW/002 CIP2 FWC DIV2 CON	SERIAL NO. 09/670,106
WIFORMATION DISCLOSURE TATEMENT BY APPLICANT		APPLICANT P. Sleath et al.	CONFIRMATION NO. 5809
		FILING DATE September 26, 2000	GROUP 1614
TO TO A DEMI			
	U.S. PATENT DOCU	MENTS	

		U.S. PAT	ENT DOCUMENT	8		
EXAMINER INITIAL	DOCUMENT NUMBER	DATE	NAME	CLASS	SUBCLASS	FILING DATE IF APPROPRIATE
(M)	4,636,492	1/13/87	Kettner et al.	514	18	
	4,644,055	2/17/87	Kettner et al.	530	330	RECEIVED
	4,652,552	3/24/87	Kettner et al.	514	18	
	4,808,523	2/28/89	Revel et al.	435	69.51	JUL 3 1 2002
	5,104,853	4/14/92	Beason et al.	514	12	TECH CENTER 1600/2900
	5,225,354	7/6/93	Knowles et al.	436	548	1500/2900
	5,304,481	4/19/94	Davies et al.	435	196	
	5,756,465	5/26/98	Sleath et al.	514	17	

FOREIGN PATENT DOCUMENTS TRANSLATION **EXAMINER DOCUMENT NUMBER** DATE COUNTRY **CLASS SUBCLASS** INITIAL YES NO 6/24/88 EP 0 272 671 0 533 350 3/24/93 EP **WIPO** WO91/15577 10/17/91 3/18/93 WO93/05071 **WIPO** 

OTHER DOCUMENTS (Including Author, Title, Date, Pertinent Pages, Etc.)

EXAMINER INITIAL

Beuscher et al. IL-1 beta is secreted by activated murine macrophages as biologically inactive precursor. *J. Immunol.* 144, 2179 (1990).

Black et al. Generation of biologically active interleukin-1β by proteolytic cleavage of the inactive precursor. *J. Biol. Chem.* 263, 9437 (1988).

Black et al. A pre-aspartate-specific protease from human leukocytes that cleaves pro-interleukin 1β. *J. Biol. Chem.* 264, 5323 (1989).

Black et al. Activation of interleukin-1β by a co-induced protease. *FEBS Letts.* 247, 386 (1989).

Black et al. Identification of a protease that processes interleukin-1β. In *Molecular and Cellular Biology of Cytokines.* (J. Oppenheim, M. Powanda, M. Kluger, C. Dinarello, Eds.) pp. 69–74, Wiley-Liss, New York, NY (1990).

**EXAMINER** 

cm

DATE CONSIDERED

1-16-03

FORM PTO-1	U.S. DEPARTMENT OF COMMERCE PATENT AND TRADEMARK OFFICE		SERIAL NO. 09/670,106			
INFORMATION DISCLOSURE STATEMENT BY APPLICANT		APPLICANT P. Sleath et al.	CONFIRMATION NO. 5809			
		FILING DATE September 26, 2000	GROUP 1614			
Hit.	Ø					
TEXT .	OTHER DOCUMENTS (Including Autho	r, Title, Date, Pertinent Pages, Etc.)				
EXAMINER INITIAL	ADL					
	Black et al. Purification and molecular cloning <b>15G</b> , CH 201 (1991).	of the IL-1β processing enzyme. <i>J.</i>	Cell. Biochem. Supp.			
	Black et al. The proteolytic activation of Interle					
_ dh~	CAPLUS DN 116 50949, Rosenthal et al. J. Cl	in. Invest. 88, 1467 (Abstract) (1991	).			
	CAPLUS DN 118: 208112, Thornberry et al. <i>Nature</i> <b>35</b> , 768 (Abstract) (1992).					
·	Casano et al. The structure and complete nucleotide sequence of the murine gene encoding interleukin-1β converting enzyme (ICE). <i>Genomics</i> <b>20</b> , 474 (1994).					
	Cerretti et al. Molecular cloning of the IL-1β processing enzyme. <i>J. Cell. Biol.</i> <b>Supp. F15</b> , P506 (1991).  Cerretti et al. Molecular cloning of the IL-1β processing enzyme. <i>Cytokine</i> p. 137 (1991).					
·						
	Cheremisinoff et al. (eds). <i>Biotechnology Applications and Research</i> , Technomics Publishing Co, Inc. pp. 21, 541-557 (1985).					
	Dower et al. The interleukin-1 system: Receptors, ligands and signals. <i>Chem. Immunol.</i> <b>51</b> , 33 (1992).  Dreyer et al. Inhibition of human immunodeficiency virus 1 protease in vitro: rational design of substrate analogue inhibitors. <i>Proc. Natl. Acad. Sci. USA</i> <b>86</b> , 9752 (1989).  Hazuda et al. The kinetics of interleukin 1 secretion from activated monocytes. <i>J. Biol. Chem.</i> <b>263</b> , 8473 (1988).  Howard et al. IL-1-converting enzyme requires aspartic acid residues for processing of the IL-1β precursor at two distinct sites and does not cleave 31-kDa IL-1a. <i>J. Immunol.</i> <b>147</b> , 2964 (1991).					
	Kitada et al. New peptide models for studying	racemization. Chem. Pharm. Bull. 2	<b>6</b> , 585 (1978).			
	<ul> <li>Knittel et al. Stimulation of insulin secretion from pancreatic islets by the cholecystokinin-tetrapeptide analogs Trp-Pro-Asp-Phe-NH<sub>2</sub> and Trp-Pro-Asp-Phe(4'-NO<sub>2</sub>)-NH<sub>2</sub>. Pept. Res. 3, 224 (1990).</li> <li>Koga et al. Comparative study on specifics of rat cathepsin L and papain: amino acid differences as substrate binding sites are involved in their specificities. J. Biochem. 108, 976 (1990).</li> <li>Kostura et al. Identification of a monocyte specific pre-interleukin 1β convertase activity. Proc. Natl. Acad. Sci. USA 86, 5227 (1989).</li> <li>Lee et al. Generation of cDNA probes directed by amino acid sequence: Cloning of urate oxidase. Science 239, 1288 (1988).</li> </ul>					
	la melanogaster).  RECEIVE					

JUL 3 1 2002

**EXAMINER** 

om

DATE CONSIDERED TECH CENTER 1600/2900

FORM PTO-1449  U.S. DEPARTMENT OF COMMERCE PATENT AND TRADEMARK OFFICE	ATTY. DOCKET NO. VPI/SW/002 CIP2 FWC DIV2 CON	SERIAL NO. 09/670,106				
OTP & INFORMATION DISCLOSURE STATEMENT BY APPLICANT	APPLICANT P. Sleath et al.	CONFIRMATION NO. 5809				
JUL 2 6 2002 j	FILING DATE September 26, 2000	GROUP 1614				
OTHER DOCUMENTS (Including Author, Tit	tle, Date, Pertinent Pages, Etc.)					
EXAMINER INITIAL						
March et al. Cloning, sequence and expression of DNAs. <i>Nature</i> <b>315</b> , 641 (1985).	two distinct human interleukin-1	complementary				
McQuade et al. A synthetic HIV-1 protease inhibito maturation. Science 247, 454 (1990).	<ul> <li>McQuade et al. A synthetic HIV-1 protease inhibitor with antiviral activity arrests HIV-like particle maturation. <i>Science</i> 247, 454 (1990).</li> <li>Mosley et al. Determination of the minimum polypeptide lengths of the functionally active sites of human interleukins 1 alpha and 1 beta. <i>Proc. Natl. Acad. Sci. USA</i> 84, 4572 (1987).</li> <li>Rasnick. Synthesis of peptide fluoromethyl ketones and the inhibition of human cathepsin B. <i>Anal. Biochem.</i> 149, 461 (1985).</li> <li>Sigma catalog. pp. 294-295, 312, 351-352 (1989).</li> <li>Sleath, P. et al. Substrate specificity of the protease that processes human interleukin-1β. <i>J. Biol. Chem.</i> 285, 14526 (1990).</li> </ul>					
, , ,						
Sigma catalog. pp. 294-295, 312, 351-352 (1989).						
Smith et al. Visualization of time-dependent inactive peptidyl fluoromethyl ketone using a fluorescent pri	vation of human tumor cathepsin nt technique. <i>Anticancer Res</i> . <b>8</b>	B isoenzymes by a , 525 (1988).				
Stein. Catalysis by human leukocyte elastase 4. R Soc. <b>107</b> , 5767 (1985).	<ul> <li>Stein. Catalysis by human leukocyte elastase 4. Role of secondary subsite interactions. <i>J. Am. Chem. Soc.</i> 107, 5767 (1985).</li> <li>Suggs, S. et al. Use of synthetic oligonucleotides as hybridization probes: Isolation of cloned cDNA sequences for human β2-microglobulin. <i>Proc. Natl. Acad. Sci. USA</i> 78, 6613 (1981).</li> <li>Tomasselli et al. Substrate analogue inhibition of active site titration of purified recombinant HIV-1 protease. <i>Biochemistry</i> 29, 264 (1990).</li> <li>Van Noorden et al. Cysteine proteinase activity in arthritic rat knee joints and the effects of a selective systemic inhibitor, Z-Phe-Ala-CH<sub>2</sub>F. <i>J. Rheumatol.</i> 15, 10 (1988).</li> <li>Woessner. Matrix metalloproteinases and their inhibitors in connective tissue remodeling. <i>FASEB J.</i> 5, 2145 (1991).</li> </ul>					
Van Noorden et al. Cysteine proteinase activity in systemic inhibitor, Z-Phe-Ala-CH₂F. <i>J. Rheumatol</i> .						
Young et al. Human interleukin 1 beta is not secret transfected cDNA. <i>J. Cell. Biol.</i> <b>107</b> , 447 (1988).	ted from hamster fibroblasts con	stitutively from a				
Young et al. Yeast RNA polymerase II genes: Isola	ation with antibody probes. Scie	nce <b>222</b> , 778 (1983).				
		<u></u>				

RECEIVED

JUL 3 1 2002

TECH CENTER 1600/2900

**EXAMINER** 

DATE CONSIDERED